

00006382

SAFETY DATA SHEET

Page 1

K-G SPRAY-PAK INC.
8001 KEELE STREET, P.O BOX 89
CONCORD, L4K 1Y8, ONTARIO
CANADA 905-669-9855
(905) 669-9855

PRODUCT: 1808-03-103 SILICONE 02-030 340G

SECTION 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER K-G SPRAY-PAK INC.
8001 KEELE STREET P.O. BOX 89
ONTARIO
CANADA
L4K 1Y8
CANUTEC EMERGENCY #:1-613-996-6666(24HR)
PRODUCT NAME..... 1808-03-103 SILICONE 02-030 340G
CHEMICAL FAMILY..... SILICONE LUBRICANT.
MOLECULAR WEIGHT..... NOT APPLICABLE.
CHEMICAL FORMULA..... NOT APPLICABLE.
TRADE NAMES & SYNONYMS
RECOMMENDED PRODUCT USES..... LUBRICANT.
PRODUCT CODE(S)
FORMULA/LAB BOOK #..... F 03-009.

SECTION 02: HAZARDS IDENTIFICATION



HAZARD CLASSIFICATION..... Warning.
SIGNAL WORD..... Warning.
HAZARD STATEMENTS H223 FLAMMABLE AEROSOL. H229 PRESSURIZED CONTAINER: MAY BURST IF HEATED. H302+H332 HARMFUL IF SWALLOWED OR INHALED. H315+H320 CAUSES SKIN AND EYE IRRITATION.
PRECAUTIONARY STATEMENTS..... P101 IF MEDICAL ADVICE IS NEEDED, HAVE PRODUCT CONTAINER OR LABEL AT HAND. P102 KEEP OUT OF REACH OF CHILDREN. P103 READ LABEL BEFORE USE.
OTHER HAZARDS..... No additional information available.

SECTION 03: COMPOSITION/INFORMATION INGREDIENTS

| HAZARDOUS INGREDIENTS | CAS # | WT. % |
|---------------------------|------------|-------|
| ACETONE | 67-64-1 | 5-10 |
| HEPTANE | 142-82-5 | 30-60 |
| ISOBUTANE | 75-28-5 | 7-13 |
| ODOURLESS MINERAL SPIRITS | 64742-48-9 | 1-5 |
| PROPANE | 74-98-6 | 10-30 |

SECTION 04: FIRST AID MEASURES

EMERGENCY FIRST AID PROCEDURE IN CASE OF EYE CONTACT, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION. FOR SKIN, WASH THOROUGHLY WITH SOAP AND WATER. IF AFFECTED BY INHALATION OF VAPOUR OR SPRAY MIST, REMOVE TO FRESH AIR. IF SWALLOWED; DO NOT INDUCE VOMITING, GET MEDICAL ATTENTION.

SECTION 05: FIRE FIGHTING MEASURES

FLAMMABILITY..... FLAMMABLE.
IF YES, UNDER WHICH CONDITIONS?..... EXCESSIVE HEAT, SPARKS AND OPEN FLAME.
SPECIAL PROCEDURES..... WATER FROM FOGGING NOZZLES MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT BUILD-UP IF EXPOSED TO EXTREME TEMPERATURES. FULL PROTECTIVE EQUIPMENT INCLUDING SELF CONTAINED BREATHING APPARTATUS SHOULD BE WORN IN A FIRE INVOLVING THIS MATERIAL.

EXPLOSION DATA

PRODUCT: 1808-03-103 SILICONE 02-030 340G

SECTION 05: FIRE FIGHTING MEASURES

SENSITIVITY TO STATIC DISCHARGE. NOT APPLICABLE.
 SENSITIVITY TO IMPACT..... NOT APPLICABLE.
 EXTINGUISHING MEDIA..... WATER, CARBON DIOXIDE, DRY CHEMICAL, FOAM.
 HAZARDOUS COMBUSTION PRODUCTS..... POSSIBLE PHOSGENE OVER 250 DEG C, CHLORINE GAS, HYDROCHLORIC ACID, HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE.
 AEROSOL FLAME PROJECTION CLASSIFIED AS:..... >45cm.

SECTION 06: ACCIDENTAL RELEASE MEASURES

LEAK/SPILL..... REMOVE ALL SOURCES OF IGNITION. USE AN INERT ABSORBENT MATERIAL, AND NON-SPARKING TOOLS. VENTILATE AREA. PREVENT FROM ENTERING A WATERCOURSE.

SECTION 07: HANDLING AND STORAGE

STORAGE NEEDS..... KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAMES.
 ENGINEERING CONTROLS..... VENTILATION - LOCAL (MECHANICAL IF USED INDOORS ON A CONTINUOUS BASIS).
 HANDLING PROCEDURES AND EQUIPMENT..... STORE IN A COOL, WELL VENTILATED AREA NOT TO EXCEED 50 DEG C.
 SYNERGISTIC MATERIALS..... NONE KNOWN.

SECTION 08: EXPOSURE CONTROLS/PERSONAL PROTECTION

| INGREDIENTS | TWA | ACGIH TLV STEL | PEL | OSHA PEL STEL | REL | NIOSH |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------|----------------|-----|---------------|-----|-------|
| ACETONE | 750 ppm | | | | | |
| HEPTANE | 400 ppm | | | | | |
| ISOBUTANE | 1000 ppm | | | | | |
| ODOURLESS MINERAL SPIRITS | 100 ppm | | | | | |
| PROPANE | 1000 ppm | | | | | |
| GLOVES/ TYPE..... | NONE REQUIRED FOR NORMAL APPLICATION OF AEROSOL PRODUCTS WHERE MINIMAL SKIN CONTACT IS EXPECTED. | | | | | |
| RESPIRATORY/TYPE..... | IF USED INDOORS ON A CONTINUOUS BASIS, USE OF A CARTRIDGE TYPE RESPIRATOR (NIOSH/MSHATC 23C OR EQUIVALENT) IS RECOMMENDED. | | | | | |
| EYE/TYPE..... | SAFETY GLASSES. | | | | | |
| FOOTWEAR/TYPE..... | NOT NORMALLY REQUIRED. | | | | | |
| OTHER/TYPE..... | NOT REQUIRED. | | | | | |

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE..... LIQUID.
 APPEARANCE..... CLEAR LIQUID.
 ODOR..... CHARACTERISTIC.
 ODOR THRESHOLD..... NOT AVAILABLE.
 pH..... NOT APPLICABLE.
 FREEZING POINT: (°C)..... NOT AVAILABLE.
 BOILING POINT (°C)(CONC)..... 57-200.
 FLASH POINT (C), TAG CLOSED CUP..... LOWEST KNOWN VALUE IS ACETONE @ -18C.
 EVAPORATION RATE..... GREATER THAN 1.
 n-BUTYL ACETATE = 1
 UPPER FLAMMABLE LIMIT..... 12.8.
 (% BY VOLUME)
 LOWER FLAMMABLE LIMIT..... 1.0.
 (% BY VOLUME)
 VAPOUR PRESSURE(PSIG)-AEROSOL..... 45-55.
 @ 20 C
 VAPOUR DENSITY (AIR=1)..... GREATER THAN 1.
 (BY WEIGHT)
 SPECIFIC GRAVITY (LIQUID)..... 0.67-0.71.
 SOLUBILITY IN WATER g/L (20°C)..... NOT AVAILABLE.
 COEFFICIENT OF WATER/OIL DIST..... NOT AVAILABLE.
 AUTO IGNITION TEMPERATURE (°C)..... 465.
 (BY WEIGHT).

PRODUCT: 1808-03-103 SILICONE 02-030 340G

SECTION 10: STABILITY AND REACTIVITY

HAZARDOUS PRODUCTS OF DECOMPOSITION..... POSSIBLE PHOSGENE OVER 250 DEG C, CHLORINE GAS, HYDROCHLORIC ACID. HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE.

CHEMICAL STABILITY:
 YES..... UNDER NORMAL CONDITIONS.
 NO, WHICH CONDITIONS?..... NOT APPLICABLE.

COMPATIBILITY WITH OTHER SUBSTANCES:
 NO, WHICH ONES?..... STRONG OXIDIZING AGENTS.
 REACTIVITY CONDITIONS?..... NOT APPLICABLE.

SECTION 11: TOXICOLOGICAL INFORMATION

| INGREDIENTS | LC50 | LD50 |
|-------------------------------------|------------------------------------------------------------------------------------------------------------------------|----------------------------|
| ACETONE | >16,000 ppm (4 hr) INHAL - RAT | >9750 mg/kg ORAL - RAT |
| HEPTANE | NOT AVAILABLE | >15000 mg/kg ORAL-RAT |
| ISOBUTANE | 142,500 ppm (4h) INHAL - RAT | NOT APPLICABLE |
| ODOURLESS MINERAL SPIRITS | 5,500mg/m3(4h) | 5000 mg/kg ORAL - RAT |
| PROPANE | NOT AVAILABLE | >5000 mg/kg DERMAL-RABBITS |
| ROUTE OF ENTRY: | | |
| INHALATION..... | MAY CAUSE DIZZINESS AND IRRITATION. INHALATION OF SOLVENTS MAY CAUSE IRRITATION. PROPELLANT IS A SIMPLE ASPHYXIANT. | |
| INGESTION..... | MAY CAUSE HEADACHE, NAUSEA, VOMITING AND WEAKNESS. | |
| EYE CONTACT..... | MAY CAUSE IRRITATION. | |
| SKIN CONTACT..... | NO. | |
| SKIN ABSORPTION..... | NO DATA AVAILABLE FOR THIS PRODUCT MIXTURE. | |
| EFFECTS OF ACUTE EXPOSURE..... | DIZZINESS, NAUSEA. IRRITATION TO SKIN & EYES. DUST OR VAPORS MAY BE IRRITATING TO SKIN, EYES, AND RESPIRATORY TRACT. | |
| EFFECTS OF CHRONIC EXPOSURE..... | SOLVENTS MAY CAUSE DEFATTING DERMATITIS | |
| IRRITANCY OF MATERIAL..... | SKIN/EYE IRRITANT. | |
| CARCINOGENICITY OF MATERIAL..... | HEPTANE CONTAINS TRACE AMOUNT OF BENZENE - CARCINOGENIC RISKS TO HUMANS BASED ON THE EVALUATION OF IARC WORKING GROUP. | |
| MUTAGENICITY..... | BENZENE - MAY CAUSE HERITABLE GENETIC DAMAGE. | |
| TERATOGENICITY..... | NO INFORMATION IS AVAILABLE AND NO ADVERSE TERATOGENIC EFFECTS ARE ANTICIPATED. | |
| REPRODUCTIVE EFFECTS..... | BENZENE - CAUSES FOETOTOXICITY IN ANIMALS AT DOSES WHICH ARE MATERNALLY TOXIC. DOES NOT IMPAIR FERTILITY. | |
| SENSITIZING CAPABILITY OF MATERIAL. | UNKNOWN. | |

SECTION 12: ECOLOGICAL CONSIDERATIONS

ENVIRONMENTAL..... NOT AVAILABLE.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL..... DO NOT PUNCTURE OR INCINERATE CONTAINERS, EVEN WHEN EMPTY. DISPOSE OF IN ACCORDANCE WITH LOCAL, PROVINCIAL AND FEDERAL REGULATIONS.

SECTION 14: TRANSPORTATION INFORMATION

T.D.G. CLASSIFICATION..... CONSUMER COMMODITY(AEROSOLS, UN1950, CLASS 2.1).
 D.O.T. CLASSIFICATION..... CONSUMER COMMODITY, ORM-D.

SECTION 15: REGULATORY INFORMATION

CANADIAN REGULATIONS:

WHMIS CLASSIFICATION..... A,B5,D2B.
 CNFC SECTION 3.3.5..... LEVEL 3.
 CEPA (Canadian Environmental Protection ... Act) ALL SUBSTANCES IN THIS PRODUCT ARE LISTED ON THE CANADIAN DOMESTIC SUBSTANCES LIST (DSL) OR ARE NOT REQUIRED TO BE LISTED.

U.S. REGULATIONS:

HMIS RATING HEALTH..... 3 SERIOUS HAZARD.

PRODUCT: 1808-03-103 SILICONE 02-030 340G

SECTION 15: REGULATORY INFORMATION

| | |
|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| HMIS RATING FLAMMABILITY..... | 2 MODERATE HAZARD. |
| HMIS RATING REACTIVITY..... | 0 MINIMAL HAZARD. |
| HMIS RATING PERSONAL PROTECTION.. | B. |
| NFPA CODE 30B..... | LEVEL 3. |
| SARA 313 INFORMATION:..... | THIS PRODUCT CONTAINS THE FOLLOWING SUBSTANCES SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372: |
| | . CAS #: CHEMICAL NAME: |
| | . N/A. |
| CALIFORNIA PROPOSITION 65:..... | THE FOLLOWING STATEMENT IS MADE IN ORDER TO COMPLY WITH THE CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986: |
| | . WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM. |
| | . CAS #: CHEMICAL NAME: |
| | . *71-43-2 |
| TSCA (Toxic Substances Control Act)..... | BENZENE (TRACE AMOUNT IN HEPTANE) |
| VOC (w/w%)..... | ALL COMPONENT OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY. ANY IMPURITIES PRESENT IN THIS PRODUCT ARE EXEMPT FROM LISTING. |
| | 89-90. |

SECTION 16: OTHER INFORMATION

| | |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NOTICE FROM K-G SPRAY- PAK INC | THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET IS PROVIDED BY K-G SPRAY PAK INC. FREE OF CHARGE. WHILE BELIEVED TO BE RELIABLE, IT IS INTENDED FOR USE BY SKILLED PERSONS AT THEIR OWN RISK. K-G SPRAY PAK INC. ASSUMES NO RESPONSIBILITY FOR EVENTS RESULTING OR DAMAGES INCURRED FROM ITS USE. THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN AND DOES NOT RELATE TO USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PROCESS. |
| PREPARED BY..... | Regulatory Affairs |
| PREPARATION DATE | JUL29/15 |