SAFETY DATA SHEET

1. Identification

Product identifier RELEASE (PEN OIL)446glt50p

Other means of identification

Product code 1000022383 Recommended use **lubricant Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

RED STALLION INC. **Company name Address** 395 PASSMORE AVE. TORONTO, ON M1V 4B3

Canada

Telephone General Assistance 1-416-321-9980

Website www.redstallion.ca john@redstallion.ca E-mail

Emergency - US 1-866-836-8855 **Emergency phone number**

Emergency - Outside US 1-952-852-4646

Not available. **Supplier**

2. Hazard(s) identification

Physical hazards Category 1 Flammable aerosols

Not classified. **Health hazards**

Label elements



Signal word Danger

Extremely flammable aerosol. **Hazard statement**

Precautionary statement

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. **Prevention**

Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

Response Wash hands after handling.

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Storage **Disposal** Dispose of waste and residues in accordance with local authority requirements.

Other hazards None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	% 55.164	
Distillates (petroleum), Hydrotreated Heavy Naphthenic		64742-52-5		
Kerosene		8008-20-6	22.23	
Propane		74-98-6	12.918	
Isobutane		75-28-5	5.831	
Ethyl Acetate		141-78-6	3.25	
Other components below reportable le	vels		0.608	

Product name: RELEASE (PEN OIL)446glt50p

SDS CANADA Product #: 1000022383 Version #: 01 Issue date: 04-07-2016 1/9

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation If symptoms develop move victim to fresh air. Get medical attention if symptoms persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Treat symptomatically.

Most important Direct contact with eyes may cause temporary irritation. symptoms/effects, acute and

Indication of immediate medical attention and special

delayed

treatment needed

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Powder. Carbon dioxide (CO2). Suitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire. Unsuitable extinguishing media

Specific hazards arising from Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed. the chemical

Firefighters must use standard protective equipment including flame retardant coat, helmet with Special protective equipment and precautions for firefighters face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Fire fighting Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose equipment/instructions holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Use standard firefighting procedures and consider the hazards of other involved materials. Move Specific methods containers from fire area if you can do so without risk. In the event of fire and/or explosion do not

breathe fumes.

Extremely flammable aerosol. General fire hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Level 1 Aerosol.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values Components	Туре		Value	Form
Ethyl Acetate (CAS 141-78-6)	TWA		400 ppm	
Isobutane (CAS 75-28-5)	STEL		1000 ppm	
Kerosene (CAS 8008-20-6)	TWA		200 mg/m3	Non-aerosol.
Canada. Alberta OELs (Occupational F	lealth & Safety C Type	ode, Schedule 1, Table	e 2) Value	Form
			1440 mg/m2	
Ethyl Acetate (CAS 141-78-6)	TWA		1440 mg/m3 400 ppm	
Kerosene (CAS 8008-20-6)	TWA		200 mg/m3	Vapor.
Propane (CAS 74-98-6)	TWA		1000 ppm	ναμοι.
Canada. British Columbia OELs. (Occu Safety Regulation 296/97, as amended	upational Exposu	re Limits for Chemica	• •	•
Components	Туре		Value	Form
Ethyl Acetate (CAS 141-78-6)	TWA		150 ppm	
Kerosene (CAS 8008-20-6)	TWA		200 mg/m3	Non-aerosol.
Canada. Manitoba OELs (Reg. 217/200	6, The Workplace	e Safety And Health Ad	ct)	
Components	Туре	•	Value	Form
Ethyl Acetate (CAS 141-78-6)	TWA		400 ppm	
Isobutane (CAS 75-28-5)	STEL		1000 ppm	
Kerosene (CAS 8008-20-6)	TWA		200 mg/m3	Non-aerosol.
Canada. Ontario OELs. (Control of Exp Components	oosure to Biologi Type	cal or Chemical Agent	s) Value	Form
Ethyl Acetate (CAS 141-78-6)	TWA		400 ppm	
Isobutane (CAS 75-28-5)	TWA		800 ppm	
Kerosene (CAS 8008-20-6)	TWA		200 mg/m3	Non-aerosol.
Canada. Quebec OELs. (Ministry of La Components	bor - Regulation Type	Respecting the Qualit	y of the Work En Value	vironment)
Ethyl Acetate (CAS 141-78-6)	TWA		1440 mg/m3	
•			400 ppm	
Propane (CAS 74-98-6)	TWA		1800 mg/m3	
			1000 ppm	
logical limit values No biolog	ical exposure limi	ts noted for the ingredie	nt(s).	
oosure guidelines	-	•		
•	ion			
Canada - Alberta OELs: Skin designati			arough the ekin	
Canada - Alberta OELs: Skin designati Kerosene (CAS 8008-20-6) Canada - British Columbia OELs: Skin	designation	Can be absorbed the	ilougii tile skiii.	
Kerosene (CAS 8008-20-6) Canada - British Columbia OELs: Skin	designation		· ·	
Kerosene (CAS 8008-20-6) Canada - British Columbia OELs: Skin Kerosene (CAS 8008-20-6) Canada - Manitoba OELs: Skin designa	J	Can be absorbed tl	nrough the skin.	
Kerosene (CAS 8008-20-6) Canada - British Columbia OELs: Skin Kerosene (CAS 8008-20-6)	ation		nrough the skin.	
Kerosene (CAS 8008-20-6) Canada - British Columbia OELs: Skin Kerosene (CAS 8008-20-6) Canada - Manitoba OELs: Skin designation (CAS 8008-20-6)	ation	Can be absorbed tl	nrough the skin.	
Kerosene (CAS 8008-20-6) Canada - British Columbia OELs: Skin Kerosene (CAS 8008-20-6) Canada - Manitoba OELs: Skin designation Kerosene (CAS 8008-20-6) Canada - Ontario OELs: Skin designation Kerosene (CAS 8008-20-6)	ation ion esignation	Can be absorbed the Can be absorbed the	nrough the skin. nrough the skin. nrough the skin.	

Product name: RELEASE (PEN OIL)446glt50p

SDS CANADA

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove Hand protection

supplier.

Wear suitable protective clothing. Other

If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an Respiratory protection

air-supplied respirator.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Gas. **Form** Aerosol. Not available. Color Odor Not available. **Odor threshold** Not available. Not available. pН Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

-156.0 °F (-104.4 °C) PROPELLANT estimated Flash point

Evaporation rate Not available. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

0.9 % estimated

Flammability limit - upper

(%)

5.8 % estimated

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Vapor pressure Not available. Not available. Vapor density Not available. Relative density

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

604.41 °F (318 °C) estimated **Auto-ignition temperature**

Decomposition temperature Not available. **Viscosity** Not available.

Other information

Explosive properties Not explosive. Oxidizing properties Not oxidizing. Specific gravity 0.316 estimated

Product name: RELEASE (PEN OIL)446glt50p

SDS CANADA Product #: 1000022383 Version #: 01 Issue date: 04-07-2016

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents. Nitrates. Fluorine. Chlorine. Hazardous decomposition No hazardous decomposition products are known.

products

11. Toxicological information

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Species

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Test Results

Information on toxicological effects

Acute toxicity
Components

Distillates (petroleum), Hydrotre	ated Heavy Naphthenic (CAS 64742-52-5)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 2000 mg/kg
		> 2000 mg/kg, 24 Hours
Inhalation		
LC50	Rat	2.18 mg/l, 4 Hours
Oral		
LD50	Rat	> 2000 mg/kg
Ethyl Acetate (CAS 141-78-6)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 20000 mg/kg, 24 Hours
Oral		
LD50	Rabbit	4934 mg/kg
	Rat	11.3 ml/kg
Isobutane (CAS 75-28-5)		
<u>Acute</u>		
Inhalation		
LC50	Mouse	1237 mg/l, 120 Minutes
		52 %, 120 Minutes
	Rat	1355 mg/l
Kerosene (CAS 8008-20-6)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 2000 mg/kg
		> 2000 mg/kg, 24 Hours
Inhalation		
LC50	Cat	> 6.4 mg/l, 6 Hours

Product name: RELEASE (PEN OIL)446glt50p

Components	Species	Test Results
Rat		> 7.5 mg/l, 6 Hours
		> 4.3 mg/l, 4 Hours
		> 0.1 mg/l, 8 Hours
Oral		
LD50	Rat	> 5000 mg/kg
Propane (CAS 74-98-6)		
<u>Acute</u>		
Inhalation		
LC50	Mouse	1237 mg/l, 120 Minutes
		52 %, 120 Minutes
	Rat	1355 mg/l
		658 mg/l/4h

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye

Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

Irritant Ethyl Acetate (CAS 141-78-6)

Respiratory sensitization

Not a respiratory sensitizer.

Skin sensitization

This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

ACGIH Carcinogens

Kerosene (CAS 8008-20-6) A3 Confirmed animal carcinogen with unknown relevance to

humans.

This product is not expected to cause reproductive or developmental effects.

Canada - Manitoba OELs: carcinogenicity

KEROSENE (NON-AEROSOL), AS TOTAL HYDROCARBON VAPOR (CAS 8008-20-6) Confirmed animal carcinogen with unknown relevance to humans.

Reproductive toxicity

Specific target organ toxicity -

Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Not likely, due to the form of the product. **Aspiration hazard**

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Species Test Results Components

Ethyl Acetate (CAS 141-78-6)

Aquatic

Indian catfish (Heteropneustes fossilis) Fish LC50 200.32 - 225.42 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Ethyl Acetate 0.73 Isobutane 2.76 Propane 2.36

Product name: RELEASE (PEN OIL)446glt50p

6/9

^{*} Estimates for product may be based on additional component data not shown.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents

under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance

with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste codeThe waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

14. Transport information

TDG

UN number UN1950

UN proper shipping name AEROSOLS, flammable

Transport hazard class(es)

Class 2.1 Subsidiary risk -

Packing group Not applicable.

Environmental hazards [

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity.

IATA

UN number UN1950

UN proper shipping name Aerosols, flammable

Transport hazard class(es)

5) 2.1

Subsidiary risk -Label(s) 2.1

Packing group Not applicable.

Environmental hazards No. **ERG Code** 10L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Other information

Class

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN1950 UN proper shipping name AEROSOLS

Transport hazard class(es)

Class 2.1 Subsidiary risk -Label(s) 2.1

Packing group Not applicable.

Environmental hazards

Marine pollutant No. EmS F-D, S-U

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not applicable.

the IBC Code

IATA; IMDG; TDG



15. Regulatory information

Canadian regulations

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

iternational inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other Information

Issue date 04-07-2016

Version # 01

Product name: RELEASE (PEN OIL)446glt50p

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Revision information Product and Company Identification: Alternate Trade Names

Product name: RELEASE (PEN OIL)446glt50p

SDS CANADA Product #: 1000022383 Version #: 01 Issue date: 04-07-2016 9/9