

00006138

MATERIAL SAFETY DATA SHEET

Page 1

K-G SPRAY-PAK INC.
8001 KEELE STREET, P.O BOX 89
CONCORD, L4K 1Y8, ONTARIO
CANADA 905-669-9855
(905) 669-9855

PRODUCT: 1808-10-195 RED STALLION BRAKE CLEANER**Section 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

MANUFACTURER K-G SPRAY-PAK INC.
8001 KEELE STREET P.O. BOX 89
ONTARIO
CANADA
L4K 1Y8
PRODUCT NAME..... CANUTEC EMERGENCY #:1-613-996-6666(24HR)
1808-10-195 RED STALLION BRAKE CLEANER
CHEMICAL FAMILY..... HYDROCARBONS.
MOLECULAR WEIGHT..... NOT APPLICABLE.
CHEMICAL FORMULA..... MIXTURE.
TRADE NAMES & SYNONYMS
RECOMMENDED PRODUCT USES..... DEGREASER/CLEANER.
LAB BOOK NUMBER..... F 10-195B/008-3-307A.

Section 02: HAZARDS IDENTIFICATION

HAZARD CLASSIFICATION..... NOT ASSESSED.
SIGNAL WORD..... NOT ASSESSED.
HAZARD STATEMENTS..... NOT ASSESSED.
PRECAUTIONARY STATEMENTS..... NOT ASSESSED.
OTHER HAZARDS..... NOT ASSESSED.

Section 03: COMPOSITION/INFORMATION INGREDIENTS

Hazardous Ingredients	CAS #	Wt. %
CARBON DIOXIDE	124-38-9	3-7
ETHANOL (Ethyl Alcohol)	64-17-5	1-5
HEXANE	110-54-3	60-100

Section 04: FIRST AID MEASURES

EMERGENCY FIRST AID PROCEDURE IN CASE OF EYE CONTACT, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION. FOR SKIN, WASH THOROUGHLY WITH SOAP AND WATER. IF AFFECTED BY INHALATION OF VAPOUR OR SPRAY MIST, REMOVE TO FRESH AIR. IF SWALLOWED; DO NOT INDUCE VOMITING, GET MEDICAL ATTENTION.

Section 05: FIRE FIGHTING MEASURES

FLAMMABILITY..... EXTREMELY FLAMMABLE.
IF YES, UNDER WHICH CONDITIONS?..... EXCESSIVE HEAT, SPARKS AND OPEN FLAME.
SPECIAL PROCEDURES..... WATER FROM FOGGING NOZZLES MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT BUILD-UP IF EXPOSED TO EXTREME TEMPERATURES. FULL PROTECTIVE EQUIPMENT INCLUDING SELF CONTAINED BREATHING APPARATUS SHOULD BE WORN IN A FIRE INVOLVING THIS MATERIAL.
EXPLOSION DATA
SENSITIVITY TO STATIC DISCHARGE..... NOT APPLICABLE.
SENSITIVITY TO IMPACT..... NOT APPLICABLE.
EXTINGUISHING MEDIA..... WATER, CARBON DIOXIDE, DRY CHEMICAL, FOAM.
HAZARDOUS COMBUSTION PRODUCTS..... HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE.
AEROSOL FLAME PROJECTION

00006138

MATERIAL SAFETY DATA SHEET

Page 2

PRODUCT: 1808-10-195 RED STALLION BRAKE CLEANER

Section 05: FIRE FIGHTING MEASURES

CLASSIFIED AS:..... >100cm.
FLASHBACK..... YES.

Section 06: ACCIDENTAL RELEASE MEASURES

LEAK/SPILL..... REMOVE ALL SOURCES OF IGNITION. USE AN INERT ABSORBENT MATERIAL, AND NON-SPARKING TOOLS. VENTILATE AREA. PREVENT FROM ENTERING A WATERCOURSE.

Section 07: HANDLING AND STORAGE

STORAGE NEEDS..... KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAMES.
ENGINEERING CONTROLS..... VENTILATION - LOCAL (MECHANICAL IF USED INDOORS ON A CONTINUOUS BASIS).
HANDLING PROCEDURES AND EQUIPMENT..... STORE IN A COOL, WELL VENTILATED AREA NOT TO EXCEED 50 DEG C.
SYNERGISTIC MATERIALS..... NONE KNOWN.

Section 08: EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients	TWA	ACGIH TLV STEL	PEL	OSHA PEL STEL	REL	NIOSH
CARBON DIOXIDE	5000 ppm					
ETHANOL (Ethyl Alcohol)	1000 ppm					
HEXANE	50 ppm					
GLOVES/ TYPE.....	CHEMICAL RESISTANT GLOVES.					
RESPIRATORY/TYPE.....	IF USED INDOORS ON A CONTINUOUS BASIS, USE OF A CARTRIDGE TYPE RESPIRATOR (NIOSH/MSHATC 23C OR EQUIVALENT) IS RECOMMENDED.					
EYE/TYPE.....	SAFETY GLASSES.					
FOOTWEAR/TYPE.....	NOT NORMALLY REQUIRED.					
OTHER/TYPE.....	NOT REQUIRED.					
EXPOSURE LIMIT OF MATERIAL.....	SEE SECTION 2.					

Section 09: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE..... AEROSOL.
APPEARANCE..... CLEAR COLORLESS LIQUID.
ODOR..... VANILLA.
ODOR THRESHOLD..... NOT AVAILABLE.
pH..... NOT APPLICABLE.
FREEZING POINT: (°C)..... NOT AVAILABLE.
BOILING POINT (°C)(CONC)..... 69 deg C APPROX. FOR HEXANE.
FLASH POINT(°C),TAG CLOSED-CUP LOWEST KNOWN VALUE IS HEXANE @ -23C.
(CONCENTRATE)
EVAPORATION RATE..... GREATER THAN 1.
n-BUTYL ACETATE = 1
UPPER FLAMMABLE LIMIT..... 7.5.
(% BY VOLUME)
LOWER FLAMMABLE LIMIT..... 1.
(% BY VOLUME)
VAPOUR PRESSURE(PSIG)-AEROSOL..... 90 - 100.
@ 20 C
VAPOUR DENSITY (AIR=1)..... GREATER THAN 1.
SPECIFIC GRAVITY (LIQUID)..... 0.65-0.69.
SOLUBILITY IN WATER g/L (20°C)..... NEGLIGIBLE.
COEFFICIENT OF WATER/OIL DIST..... NOT AVAILABLE.
AUTO IGNITION TEMPERATURE (°C)..... 225.
AEROSOL PERCENT VOLATILE..... 95-96.

Section 10: STABILITY AND REACTIVITY

HAZARDOUS PRODUCTS OF DECOMPOSITION..... HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE.
CHEMICAL STABILITY:
YES..... UNDER NORMAL CONDITIONS.
NO, WHICH CONDITIONS?..... NOT APPLICABLE.
COMPATIBILITY WITH OTHER SUBSTANCES:

PRODUCT: 1808-10-195 RED STALLION BRAKE CLEANER

Section 10: STABILITY AND REACTIVITY

NO, WHICH ONES?..... STRONG OXIDIZING AGENTS.
 REACTIVITY CONDITIONS?..... NOT APPLICABLE.

Section 11: TOXICOLOGICAL INFORMATION

Ingredients	LC50	LD50
-------------	------	------

CARBON DIOXIDE	NOT AVAILABLE	NOT APPLICABLE
ETHANOL (Ethyl Alcohol)	31,623 ppm (4 hr) INHAL - RAT	7060 mg/kg ORAL - RAT
HEXANE	48,000 mg/kg INHAL-MOUSE	25,000 mg/kg ORAL-RAT
ROUTE OF ENTRY:		
INHALATION.....	INHALATION OF SOLVENTS MAY CAUSE IRRITATION. PROPELLANT IS A SIMPLE ASPHYXIANT.	
INGESTION.....	MAY CAUSE HEADACHE, NAUSEA, VOMITING AND WEAKNESS.	
EYE CONTACT.....	MAY CAUSE IRRITATION.	
SKIN CONTACT.....	MAY CAUSE IRRITATION.	
SKIN ABSORPTION.....	MAY CAUSE IRRITATION.	
EFFECTS OF ACUTE EXPOSURE.....	DIZZINESS, NAUSEA. IRRITATION TO SKIN & EYES.	
EFFECTS OF CHRONIC EXPOSURE.....	SOLVENTS MAY CAUSE DEFATTING DERMATITIS	
IRRITANCY OF MATERIAL.....	SKIN/EYE IRRITANT.	
CARCINOGENICITY OF MATERIAL.....	NONE KNOWN.	
CARCINOGENICITY/MUTAGENICITY		
MUTAGENICITY.....	NO INFORMATION IS AVAILABLE AND NO ADVERSE MUTAGENIC EFFECTS ARE ANTICIPATED.	
TERATOGENICITY.....	NO INFORMATION IS AVAILABLE AND NO ADVERSE TERATOGENIC EFFECTS ARE ANTICIPATED.	
REPRODUCTIVE EFFECTS.....	NO INFORMATION IS AVAILABLE AND NO ADVERSE REPRODUCTIVE EFFECTS ARE ANTICIPATED.	
SENSITIZING CAPABILITY OF MATERIAL.	NONE KNOWN.	

Section 12: ECOLOGICAL CONSIDERATIONS

ENVIRONMENTAL..... NOT AVAILABLE.

Section 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL..... DO NOT PUNCTURE OR INCINERATE CONTAINERS, EVEN WHEN EMPTY. DISPOSE OF IN ACCORDANCE WITH LOCAL, PROVINCIAL AND FEDERAL REGULATIONS.

Section 14: TRANSPORTATION INFORMATION

T.D.G. CLASSIFICATION.....
D.O.T. CLASSIFICATION.....

CONSUMER COMMODITY (AEROSOLS, UN1950, CLASS 2.1).
CONSUMER COMMODITY, ORM-D.

Section 15: REGULATORY INFORMATION

CANADIAN REGULATIONS:

WHMIS CLASSIFICATION.....	A,B5,D2B.
CNFC SECTION 3.3.5.....	LEVEL 3.
CEPA (Canadian Environmental Protection ... Act)	ALL SUBSTANCES IN THIS PRODUCT ARE LISTED ON THE CANADIAN DOMESTIC SUBSTANCES LIST (DSL) OR ARE NOT REQUIRED TO BE LISTED.

U.S. REGULATIONS:

HMIS RATING HEALTH.....	2 MODERATE HAZARD.
HMIS RATING FLAMMABILITY.....	4 SEVERE HAZARD.
HMIS RATING REACTIVITY.....	0 MINIMAL HAZARD.
HMIS RATING PERSONAL PROTECTION..	B.
NFPA CODE 30B.....	LEVEL 3.
SARA 313 INFORMATION:.....	THIS PRODUCT CONTAINS THE FOLLOWING SUBSTANCES SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372:
	. CAS #:
	. *110-54-3
	CHEMICAL NAME:
	N-HEXANE

00006138

MATERIAL SAFETY DATA SHEET

Page 4

PRODUCT: 1808-10-195 RED STALLION BRAKE CLEANER

Section 15: REGULATORY INFORMATION

CALIFORNIA PROPOSITION 65:..... THE FOLLOWING STATEMENT IS MADE IN ORDER TO COMPLY WITH THE CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986:
..... WARNING: THIS PRODUCT DOES NOT INTENTIONALLY CONTAIN ANY CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.
..... CAS #: CHEMICAL NAME:

TSCA (Toxic Substances Control Act)..... N/A.
ALL COMPONENT OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY. ANY IMPURITIES PRESENT IN THIS PRODUCT ARE EXEMPT FROM LISTING.

VOC (w/w%)..... 95-96.

Section 16: OTHER INFORMATION

NOTICE FROM K-G SPRAY- PAK INC THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET IS PROVIDED BY K-G SPRAY PAK INC. FREE OF CHARGE. WHILE BELIEVED TO BE RELIABLE, IT IS INTENDED FOR USE BY SKILLED PERSONS AT THEIR OWN RISK. K-G SPRAY PAK INC. ASSUMES NO RESPONSIBILITY FOR EVENTS RESULTING OR DAMAGES INCURRED FROM ITS USE. THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN AND DOES NOT RELATE TO USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PROCESS.

PREPARED BY..... Regulatory Affairs
PREPARATION DATE Jan21/14