MATERIAL SAFETY DATA SHEET

1. PRODUCT AND PREPARATION INFORMATION

Supplier:

Zaxxen

435 St-Valier

Granby, QC J2G 8Y4

Canada

(450) 375-9129

Emergency telephone numbers:

Zaxxen (7:00 am TO 4:00 pm EST)

(450) 375-9129 CANUTEC (24 HR) (613) 996 - 6666

Product Name:

Rubber Solvent Cement Mixture

Synonyms:

High Viscosity Rubber Cement

Chemical Family:

Adhesives containing a flammable liquid

Molecular Formula:

Formulation

Product Use:

WHIMIS Classification:

Class A-2, Class D-2B, Class D-2A UN1133, class 3, PG II

TDG Classification:

Preparation Date:

December 17th 2013

2. HAZARDOUS INGREDIENTS

Hazardous Ingredients	CAS Number	Wt. %	TLV ppm	LD/50 Oral – Rat, 4hr	LC/50 Inhal – Rat, 4 hr
Toluene	108-86-3	5-10	50 ppm	N/AV	N/AV

3. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid	
Appearance	Clear Yellowish	
Odour	Slight Characteristic	
Odour Threshold	Not Available	
Boiling Point	100 deg. C (start)	
Melting/Freezing Point	0 deg. C	
Vapour Density (Air = 1)	< 1	
Specific Gravity (Liquid)	1.05 (estimated)	
Vapour Pressure (mm Hg)	Not Available	
Evaporation Rate, n-Butyl Acetate = 1	Not Available	
РН	3 - 4	
Solubility in Water	Dilutable	

4. FIRE AND EXPLOSION HAZARD

Flammability Limits in Air (%):

Extinguishing Media:

Flash Point (TCC deg. C):

Rate of Burning:

Autoignition Temperature (deg. C):

Hazardous Combustion Products:

Sensitivity to Mechanical Impact:

Not Applicable

The same as surrounding area.

Not Applicable

Not Applicable

Carbon monoxide

Not available. Not expected to be sensitive to

mechanical impact.

Not available.

Explosive Power: Not available. Sensitivity to Static Discharge:

Not available. Not expected to be sensitive to

static discharge.

Zaxxen (div. of Plastair).

19-270, Rim-Tite Bead Sealer

5. REACTIVITY DATA

Chemical Stability:

Yes, under normal conditions.

Compatibility with Other Substances:

No, with strong oxidizing agents, Lewis or

mineral acids, strong bases.

Hazardous Products of Decomposition:

Hazardous Polymerisation:

Carbon monoxide. Will not occur.

6. TOXICOLOGICAL PROPERTIES

Route of Entry:

Skin Contact: Skin Absorption:

Eye Contact:

Inhalation: Ingestion:

Effects of Exposure:

Carcinogenicity of material:

Teratogenicity:

Reproductive effects:

Mutagenicity:

Yes No Yes

> No Yes

Product may cause severe irritation to the eyes. May cause skin irritation. Prolonged and repeated

contact may lead to dermatitis. Causes a burning sensation of the mouth and throat and abdominal

pain if swallowed.

The ingredients of this product are not listed as

carcinogens.

No information is available and no adverse

reproductive effects are anticipated.

No information is available and no adverse

Teratogenic effects are anticipated.

No information is available and no adverse

Mutagenic effects are anticipated.

7. PREVENTIVE MEASURES

Eye Protection:

Use chemical safety goggles when there is potential for eye contact.

Skin Protection:

Gloves and protective clothings.

Respiratory Protection:

Not required on short-term exposures of less than

8 hours.

Engineering Controls:

Not required on short-term exposures of less than

8 hours.

Zaxxen (div. of Plastair).

19-270, Rim-Tite Bead Sealer

Leak/Spill Clean-Up Procedures:

Ventilate enclosed spaces. Collect product for disposal. Notify applicable government authority if release is reportable or could adversely affect the environment.

Storage Instructions:

Keep away from heat, sparks, and open flames.

8. FIRST AID MEASURES

In case of eye contact, immediately flush eyes with running water for a minimum of 15 minutes. Hold eyelids open during flushing. If irritation persists, repeat flushing. Obtain medical attention IMMEDIATELY. For skin, wash thoroughly with soap and water. If irritation develops, get medical attention. If affected by inhalation of vapour or spray mist, move to fresh air. If swallowed, do not induce vomiting. Rinse mouth and then drink 2-3 glasses of milk to dilute the product. Water can be used instead but not as effective. Obtain medical attention IMMEDIATELY.

9. OTHER INFORMATION

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR. This MSDS is valid for three years.

The information contained herein is based on data considered accurate. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Godden assumes no responsibility for personal injury or property damage to vendees or users or third parties, caused by the material. Such vendees or users assume all risks with the use of the material.