

00003109

## MATERIAL SAFETY DATA SHEET

Page 1

K-G SPRAY-PAK INC.  
8001 KEELE STREET, P.O BOX 89  
CONCORD; L4K 1Y8; ONTARIO  
CANADA 905-669-9855

PRODUCT: 1808-09-0012 A/C FRESH 300G



## Section 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER ..... K-G SPRAY-PAK INC.  
8001 KEELE STREET P.O. BOX 89  
ONTARIO  
CANADA  
L4K 1Y8  
CANUTEC EMERGENCY #:1-613-996-6666(24HR)  
PRODUCT NAME..... 1808-09-0012 A/C FRESH 300G  
CHEMICAL FAMILY..... ALCOHOL.  
MOLECULAR WEIGHT..... NOT APPLICABLE.  
CHEMICAL FORMULA..... MIXTURE.  
TRADE NAMES & SYNONYMS..... 1808-09-0012 A/C FRESH 300G  
PRODUCT USES..... ODOUR NEUTRALIZER.  
FORMULA/LAB BOOK #..... 99-0153 / 012-5-23A.

## Section 02: COMPOSITION/INFORMATION INGREDIENTS

Hazardous Ingredients	%	Exposure Limit	C.A.S.#	LD/50, Route,Species	LC/50 Route,Species
ETHANOL (Ethyl Alcohol)	10-30	1000 ppm	64-17-5	7060 mg/kg ORAL - RAT	31,623 ppm (4 hr) INHAL - RAT
DIPROPYLENE GLYCOL	3-7	NOT AVAILABLE	25265-71-8	14,800 mg/kg ORAL - RAT	NOT AVAILABLE
ISOPROPANOL	7-13	400 ppm	67-63-0	>4720 mg/kg ORAL - RAT	12000 ppm (8hr) INHAL - RAT
DIETHYLENE GLYCOL MONOETHYL ETHER	7-13	NOT AVAILABLE	111-90-0	6500 mg/kg RAT ORAL	NOT AVAILABLE
1,1,1,2-TETRAFLUOROETHANE	10-30	1000 ppm	811-97-2	NOT AVAILABLE	567000 ppm (4hr) INHAL - RAT

## Section 03: HAZARDS IDENTIFICATION

ROUTE OF ENTRY:  
INGESTION..... MAY CAUSE HEADACHE, NAUSEA, VOMITING AND WEAKNESS.  
INHALATION..... INHALATION OF SOLVENTS MAY CAUSE IRRITATION. PROPELLANT IS A SIMPLE  
ASPHYXIANT.  
EYE CONTACT..... MAY CAUSE IRRITATION.  
SKIN ABSORPTION..... NO DATA AVAILABLE FOR THIS PRODUCT MIXTURE.  
SKIN CONTACT..... MAY CAUSE IRRITATION.  
EFFECTS OF ACUTE EXPOSURE..... DIZZINESS, NAUSEA. IRRITATION TO SKIN & EYES.  
EFFECTS OF CHRONIC EXPOSURE..... SOLVENTS MAY CAUSE DEFATTING DERMATITIS  
EXPOSURE LIMIT OF MATERIAL..... SEE SECTION 2.

## Section 04: FIRST AID MEASURES

EMERGENCY FIRST AID PROCEDURE .... IN CASE OF EYE CONTACT, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR  
AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION. FOR SKIN, WASH  
THOROUGHLY WITH SOAP AND WATER. IF AFFECTED BY INHALATION OF VAPOUR  
OR SPRAY MIST, REMOVE TO FRESH AIR. IF SWALLOWED; DO NOT INDUCE  
VOMITING, GET MEDICAL ATTENTION.

## Section 05: FIRE FIGHTING MEASURES

AUTO IGNITION TEMPERATURE (°C)..... 399-422.  
SPECIAL PROCEDURES..... WATER FROM FOGGING NOZZLES MAY BE USED TO COOL CLOSED CONTAINERS  
TO PREVENT BUILD-UP IF EXPOSED TO EXTREME TEMPERATURES. FULL  
PROTECTIVE EQUIPMENT INCLUDING SELF CONTAINED BREATHING  
APPARTATUS SHOULD BE WORN IN A FIRE INVOLVING THIS MATERIAL.  
FLAMMABILITY..... NON FLAMMABLE AEROSOL.  
IF YES, UNDER WHICH CONDITIONS?..... EXCESSIVE HEAT, SPARKS AND OPEN FLAME.  
EXTINGUISHING MEDIA..... WATER, CARBON DIOXIDE, DRY CHEMICAL, FOAM.

00003109

## MATERIAL SAFETY DATA SHEET

Page 2

PRODUCT: 1808-09-0012 A/C FRESH 300G

## Section 05: FIRE FIGHTING MEASURES

FLASH POINT (C), TAG CLOSED CUP..... >13.  
 UPPER FLAMMABLE LIMIT..... 23.5.  
 (% BY VOLUME)  
 LOWER FLAMMABLE LIMIT..... 1.2.  
 (% BY VOLUME)  
 EXPLOSION DATA  
 SENSITIVITY TO STATIC DISCHARGE. NOT APPLICABLE.  
 SENSITIVITY TO IMPACT..... NOT APPLICABLE.  
 HAZARDOUS COMBUSTION  
 PRODUCTS..... HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION  
 IS INCOMPLETE.  
 AEROSOL FLAME PROJECTION  
 CLASSIFIED AS:..... 0 cm.  
 FLASHBACK..... NONE.

## Section 06: ACCIDENTAL RELEASE MEASURES

LEAK/SPILL..... REMOVE ALL SOURCES OF IGNITION. USE AN INERT ABSORBENT MATERIAL, AND  
 NON-SPARKING TOOLS. VENTILATE AREA. PREVENT FROM ENTERING A  
 WATERCOURSE.

## Section 07: HANDLING AND STORAGE

STORAGE NEEDS..... KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAMES.  
 ENGINEERING CONTROLS..... VENTILATION - LOCAL (MECHANICAL IF USED INDOORS ON A CONTINUOUS  
 BASIS).  
 HANDLING PROCEDURES AND ..... STORE IN A COOL, WELL VENTILATED AREA NOT TO EXCEED 50 DEG C.  
 EQUIPMENT  
 SYNERGISTIC MATERIALS..... NONE KNOWN.

## Section 08: EXPOSURE CONTROLS/PERSONAL PROTECTION

GLOVES/ TYPE..... WEAR CHEMICAL RESISTANT GLOVES.  
 RESPIRATORY/TYPE..... IF USED INDOORS ON A CONTINUOUS BASIS, USE OF A CARTRIDGE TYPE  
 RESPIRATOR (NIOSH/MSHATC 23C OR EQUIVALENT) IS RECOMMENDED.  
 EYE/TYPE..... SAFETY GLASSES.  
 FOOTWEAR/TYPE..... NOT NORMALLY REQUIRED.  
 OTHER/TYPE..... NOT REQUIRED.

## Section 09: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE..... AEROSOL.  
 APPEARANCE..... CLEAR, COLOURLESS.  
 ODOR..... LAVENDER.  
 ODOR THRESHOLD..... NOT AVAILABLE.  
 VAPOUR PRESSURE(PSIG)-AEROSOL..... 65-75.  
 @ 20 C  
 BOILING POINT (°C)(CONC)..... 78.5-232.  
 EVAPORATION RATE..... GREATER THAN 1.  
 n-BUTYL ACETATE = 1  
 VAPOUR DENSITY (AIR=1)..... GREATER THAN 1.  
 (BY WEIGHT)  
 SOLUBILITY IN WATER g/L (20°C)..... SOLUBLE.  
 pH..... 9-10.  
 SPECIFIC GRAVITY (LIQUID)..... 0.91-0.95.  
 COEFFICIENT OF WATER/OIL DIST..... NOT AVAILABLE.  
 FREEZING POINT: (°C)..... NOT AVAILABLE.  
 AEROSOL PERCENT VOLATILE..... 88-89.  
 (BY WEIGHT).  
 SPECIFIC GRAVITY (AEROSOL)..... 0.96-1.00.  
 AEROSOL PERCENT VOC (w/w)..... 33-34.

## Section 10: STABILITY AND REACTIVITY

HAZARDOUS PRODUCTS OF  
 DECOMPOSITION..... HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION  
 IS INCOMPLETE.  
 CHEMICAL STABILITY:  
 YES..... UNDER NORMAL CONDITIONS.  
 NO, WHICH CONDITIONS?..... NOT APPLICABLE.  
 COMPATIBILITY WITH OTHER  
 SUBSTANCES:

00003109

**MATERIAL SAFETY DATA SHEET**

Page 3

**PRODUCT: 1808-09-0012 A/C FRESH 300G**

**Section 10: STABILITY AND REACTIVITY**

NO, WHICH ONES?..... STRONG OXIDIZING AGENTS.  
 REACTIVITY CONDITIONS?..... NOT APPLICABLE.  
 HAZARDOUS POLYMERIZATION..... WILL NOT OCCUR.

**Section 11: TOXICOLOGICAL INFORMATION**

REPRODUCTIVE EFFECTS..... NO INFORMATION IS AVAILABLE AND NO ADVERSE REPRODUCTIVE EFFECTS ARE ANTICIPATED.  
 IRRITANCY OF MATERIAL..... SKIN/EYE IRRITANT.  
 SENSITIZING CAPABILITY OF MATERIAL..... UNKNOWN.  
 CARCINOGENICITY OF MATERIAL..... THE INGREDIENTS OF THIS PRODUCT ARE NOT LISTED AS CARCINOGENS BY NTP, (NATIONAL TOXICOLOGY PROGRAM), NOT REGULATED AS CARCINOGENS BY OSHA, (OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION), AND HAVE NOT BEEN EVALUATED BY IARC,(INTERNATIONAL AGENCY FOR RESEARCH ON CANCER), NOR BY ACGIH (AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS).  
 TERATOGENICITY..... NO INFORMATION IS AVAILABLE AND NO ADVERSE TERATOGENIC EFFECTS ARE ANTICIPATED.  
 MUTAGENICITY..... NO INFORMATION IS AVAILABLE AND NO ADVERSE MUTAGENIC EFFECTS ARE ANTICIPATED.

**Section 12: ECOLOGICAL CONSIDERATIONS**

ENVIRONMENTAL..... NOT AVAILABLE.

**Section 13: DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL..... DO NOT PUNCTURE OR INCINERATE CONTAINERS, EVEN WHEN EMPTY. DISPOSE OF IN ACCORDANCE WITH LOCAL, PROVINCIAL AND FEDERAL REGULATIONS.

**Section 14: TRANSPORTATION INFORMATION**

T.D.G. CLASSIFICATION..... CONSUMER COMMODITY (AEROSOLS, UN1950, CLASS 2.2).  
 D.O.T. CLASSIFICATION..... CONSUMER COMMODITY, ORM-D.

**Section 15: REGULATORY INFORMATION**

**CANADIAN REGULATIONS:**

WHMIS CLASSIFICATION..... A,D2B.  
 CNFC SECTION 3.3.5..... LEVEL 1.  
 CEPA (Canadian Environmental Protection ... Act) ALL SUBSTANCES IN THIS PRODUCT ARE LISTED ON THE CANADIAN DOMESTIC SUBSTANCES LIST (DSL) OR ARE NOT REQUIRED TO BE LISTED.

**U.S. REGULATIONS:**

HMIS RATING HEALTH..... 2 MODERATE HAZARD.  
 HMIS RATING FLAMMABILITY..... 1 SLIGHT HAZARD.  
 HMIS RATING REACTIVITY..... 1 SLIGHT HAZARD.  
 HMIS RATING PERSONAL PROTECTION.. B.  
 NFPA CODE 30B..... LEVEL 1.  
 SARA 313 INFORMATION:..... THIS PRODUCT CONTAINS NO INGREDIENTS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND OF 40 CFR 372.  
 CALIFORNIA PROPOSITION 65:..... NAME: . CAS #: . N/A. CHEMICAL  
 THE FOLLOWING STATEMENT IS MADE IN ORDER TO COMPLY WITH THE CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986: . WARNING: THIS PRODUCT DOES NOT INTENTIONALLY CONTAIN ANY CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM. . CAS #:  
 TSCA (Toxic Substances Control Act)..... CHEMICAL NAME: . N/A.  
 ALL COMPONENT OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY. ANY IMPURITIES PRESENT IN THIS PRODUCT ARE EXEMPT FROM LISTING.  
 VOC (w/w%)..... 33-34.

00003109

MATERIAL SAFETY DATA SHEET

Page 4

PRODUCT: 1808-09-0012 A/C FRESH 300G

Section 16: OTHER INFORMATION

NOTICE FROM K-G SPRAY- PAK INC ..... THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET IS PROVIDED BY K-G SPRAY PAK INC. FREE OF CHARGE. WHILE BELIEVED TO BE RELIABLE, IT IS INTENDED FOR USE BY SKILLED PERSONS AT THEIR OWN RISK. K-G SPRAY PAK INC. ASSUMES NO RESPONSIBILITY FOR EVENTS RESULTING OR DAMAGES INCURRED FROM ITS USE. THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN AND DOES NOT RELATE TO USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PROCESS.

PREPARED BY..... Regulatory Affairs  
PREPARATION DATE ..... May23/13