

RED STALLION™

SPILL CONTROL

- Spill Type: Universal
- Container Type: White Polyethylene pail
- Container capacity: 5 Gallons

Contents:

- 5 Sorbent Socks (3" x 48")
- 1 Pair Nitrile Gloves, 2XL (11)
- 1 Pair Safety Goggles (One Size)
- 2 Disposal Bags (26" x 36")



- Spill Type: Universal

Contents:

- 5 Sorbent Socks (3" x 48")
- 1 Pair Nitrile Gloves, 2XL (11)
- 1 Pair Safety Goggles (One Size)
- 2 Disposal Bags (26" x 36")



- Type: Pads
- Spill Type: Oil Only
- Weight: Heavy
- Dimensions: 15"L x 17"W
- Absorbency/Pkg.: 30 Gallons
- Qty/Pkg.: 100



- 100% bonded polypropylene fibre
- More durable than traditional meltblown sorbents
- Offer low linting and permit an easy clean up
- These sorbents have absorption capacities of more than 25x their weight.

SPILL CONTROL



- GREY - UNIVERSAL
- Pads, Light-Weight
- Size L x W: 18" X 16"
- Absorption Cap/Pkg. Gallon: 27
- Qty/Pkg.: 200

- Offers excellent value, delivers greater price stability and absorbs 20% to 70% more than melt blown products
- Uses renewable and recycled resources, uses less energy to produce and are 50% to 95% oil-free therefore reduces dependency on oil
- Available in *HazMat* upon request
- **Sold per package**
- Highly versatile product, made from 95% renewable and recycled materials, can be used as pads, rolls, wipers and socks. It offers outstanding absorbency and durability at an unheard value.
- Offers excellent value, delivers greater price stability and absorbs 20% to 70% more than melt blown products
- Uses renewable and recycled resources, uses less energy to produce and are 50% to 95% oil-free therefore reduces dependency on oil
- Available in *HazMat* upon request
- **Sold per package**
- Highly versatile product, made from 95% renewable and recycled materials, can be used as pads, rolls, wipers and socks. It offers outstanding absorbency and durability at an unheard value.

FAUCET STYLE EYE WASH



- Eyewash Station
- Wt. lbs.: 0.5
- Chrome-plated brass faucet-mounted eyewash converts any faucet into an emergency eyewash station
- No special plumbing required, won't interfere with normal faucet operation
- Easy to operate, turn on water and pull out knob to activate eyewash
- Water pressure holds spring loaded valve open, leaving hands free
- Push in knob to turn off water to revert faucet to normal operation
- No tools required, complete with adapters
- Available for eyewash or eye/face wash

THE RUPTURE SEAL



Q.What is The RUPTUREseal™ line of technologies?

A.It is a line of leak-stopping devices currently available in 3 convenient sizes. A simple and quick plug system for various holes.The RuptureSeal™ can address holes as small as 4mm (5/32in), as large as 64mm (2.5in) in diameter, and gashes up to 100mm (4in) in length. However, we are always improving our capabilities and further sizes are under consideration. If you have a requirement, let us know!

Q.How fast does this technology work?

A.The RuptureSeal™ deploys in seconds, even faster with training and experience.

Q.How long will it last for?

A.Both devices are temporary measures intended to last upwards of 10 hours in the rupture.

Q.What chemicals are compatible with the RuptureSeal?

A.Please see this PDF document to check the RuptureSeal's compatibility with different types of chemical substances.

Q.Are there currently any products on the market like it?

A.The RuptureSeal™ is a unique product to the marketplace. It represents a significant leap in safety and sealing approach not found in the competition. It incorporates many innovative design features not found anywhere else. This allows it to be the quickest and easiest sealing device available.

OIL WASTE CAN

- Colour: Red
 - Capacity US Gal.: 6
 - Dimensions Outer Dia." x H": 11 7/8 x 15 7/8
 - Wt. lbs.: 10
- OSHA compliant oily waste cans are essential whenever solvent cloths and wiping rags are used
 - Self-closing cover reduces oxygen source to prevent fire from starting
 - Round construction and raised bottom encourage air circulation to disperse heat and prevent rust
 - Rugged galvanized steel body in a variety of sizes accommodate any work area
 - Carrying handle for portability
 - FM and UL approved



SAFETY CABINET FOR FLAMMABLES

- Door Type: 1 Door, Self-Closing, Countertop
 - Capacity/Gallons: 4
 - Adjustable Shelves: 1
 - Ext. Dim. W" x D" x H": 17 x 17 x 22
 - Wt. lbs.: 62
- Improved access to often used liquids, without compromising safety
 - Portable size keeps work areas flexible
 - Each has one adjustable shelf
 - A great size for the home handyman



SAFETY CAN

- Capacity US Gal.: 1
- Colour: Red
- Hose Width": 5/8



- *AccuFlow*TM exclusive *Safe-Squeeze*[®] trigger mechanism allows for smooth flow and accurate pouring
- Auto-venting pressure relief cap
- Leak-proof self-closing gasketed lid controls vapours and spills
- Long lasting stainless steel flame arrester dissipates heat and prevents flashback ignition
- Extra large ID zone reduces misuse and has warning in three languages
- FM approved, UL/ULC listed
- 10-year limited warranty

FAUCET STYLE EYE WASH SELF CONTAINED UNIT

SE-4400

The SE-4400 GravityFlo® Portable Eyewash is designed to provide the ultimate solution to locations in need of an eyewash that have no access to a potable water source. The GravityFlo® Portable Eyewash features a 9 gallon tank, providing continuous flow for the ANSI Z358.1 required 15 minutes. With the capability to be shelf, table, or wall-mounted, this gravity operated eyewash can be placed practically anywhere within a worksite. A simple pull of the highly visible yellow activator instantly delivers relieving streams, allowing hands free operation. The SE-4400 is offered with a 3 year limited warranty.

- Gravity operated portable eyewash
- 9 gallon capacity tank
- Intuitive pull-down activation
- 100% ANSI Z358.1 Certified
- 3 Year Limited



TRACTION CONTROL



REPLACEABLE
Ice Diamond™
TUNGSTEN CARBIDE SPIKE

Textured "Diamond Knurling" lining grips footwear and helps keep traction aids in place.



SAFETY CABINET FOR FLAMMABLES

- Door Type: 2 Doors, Manual
- Capacity Gallons: 90
- Adjustable Shelves: 2
- Ext. Dim. W" x D" x H": 43 x 34 x 65
- Listing Approvals: FM
- Wt. lbs.: 480
- Double wall welded 18-gauge steel construction with 1 1/2" of insulating air space
- Doors self-latch for easy and secure closure with 3-point stainless steel bullet latches
- U-Loc™ handle comes with 2 keys or accepts optional padlock for greater security
- Two flame arrestor vents and ground wire connection screw
- 2" deep leak proof sill
- Adjustable leveler legs and galvanized SpillSlope™ shelves that adjust on 3" centres
- Durable yellow powder coat paint finish provides long life and exceptional chemical resistance
- Haz-Alert™ reflective warning labels offer visibility under dark conditions
- Meets NFPA and OSHA requirements
- FM approved

